

20FT REFRIGERATED CONTAINERS- DOUBLE DOORS, THREE PHASE

Used by a wide range of industries including food manufacture, R&D, automotive, pharmaceutical, chemical, agricultural, museums, retail and supermarkets as well as for general archiving. This unit has a decent floor space for up to 10 Euro pallets per layer*.

As with all Spacewise three phase refrigerated/ temperature controlled containers these are capable of precisely controlling temperatures from between -35°c to +30°c. Spacewise refrigerated/temperature controlled units are of low noise and the most energy efficient available to date. All units are to a food and pharmaceutical grade so are capable of storing a wide range of products.

Spacewise units as standard are delivered with a flat floor, butchers type door opening, internal lights, man trap panic alarm and a loading ramp. We can on request also supply units fitted with a remote monitoring system which will alert you either by email or SMS in the event of a temperature problem.



EXTERNAL

Length 6.00 (20ft Oins)

Width 2.40m (8ft Oins)

Height 2.60m (8ft 6ins)

INTERNAL

Length 5.40m (17ft 9ins)

Width 2.30m (7ft 6ins)

Height 2.30m (7ft 6ins)

OPENINGS

Length 2.10m (7ft 2ins)

Height 2.20m (7ft 4ins)





STANDARD FEATURES

- Temperature range from -35°c to +30°c (3-phase)
- Easy open double doors (fully lockable)
- Flat flooring for easy maneuver of trolleys
- Aluminium loading ramp
- Internal lighting including emergency internal lighting in the event of a power failure
- Man trap panic alarm

OPTIONAL FEATURES

- Remote monitoring system (can be accessed via mobile phone, tablet or PC anywhere in the world)
- Security grill

 \checkmark Plastic strip curtains

SPACEWISE 20FT UNITS ARE SUPPLIED AS FOLLOWS:

- We can deliver units anywhere within the UK
- Can store up to x10 Euro Pallets or x9 metric pallets per layer.*
- Free no obligation site survey carried out by our in-house team
- Low noise and low energy consumption (in comparison to our competitors)

*The number of pallets that can be stored in a container is dependant upon their configuration and items loaded on the pallets.

DISCLAIMER: Every effort is made to ensure this information is accurate, however Spacewise does not assume any liability for the accuracy of the information and content provided in marketing, information materials, websites, or for the consequences resulting from using the information and content provided. Spacewise does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the UK and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton* and TAL*.



20FT REFRIGERATED CONTAINERS – BUTCHERS DOOR, THREE PHASE

Used by a wide range of industries including food manufacture, R&D, automotive, pharmaceutical, chemical, agricultural, museums, retail and supermarkets as well as for general archiving. This unit has a decent floor space for up to 10 Euro pallets per layer*.

As with all Spacewise three phase refrigerated/ temperature controlled containers these are capable of precisely controlling temperatures from between -35°c to +30°c. Spacewise refrigerated/temperature controlled units are of low noise and the most energy efficient available to date. All units are to a food and pharmaceutical grade so are capable of storing a wide range of products.

Spacewise units as standard are delivered with a flat floor, butchers type door opening, internal lights, man trap panic alarm and a loading ramp. We can on request also supply units fitted with a remote monitoring system which will alert you either by email or SMS in the event of a temperature problem.



EXTERNAL

Length 6.00 (20ft Oins)

Width 2.40m (8ft Oins)

Height 2.60m (8ft 6ins)

INTERNAL

Length 5.00m (16ft 4ins)

Width 2.30m (7ft 6ins)

Height 2.30m (7ft 6ins)

OPENINGS

Length 1.6m (5ft Oins)

Height 2.00m (6ft 6ins)





STANDARD FEATURES

- Temperature range from -35°c to +30°c (3-phase)
- Easy open butchers door (fully lockable)
- Flat flooring for easy maneuver of trolleys
- Aluminium loading ramp
- Internal lighting including emergency internal lighting in the event of a power failure
- Man trap panic alarm

OPTIONAL FEATURES

- Remote monitoring system (can be accessed via mobile phone, tablet or PC anywhere in the world)
- Security grill
- Plastic strip curtains

SPACEWISE 20FT UNITS ARE SUPPLIED AS FOLLOWS:

- We can deliver units anywhere within the UK
- Can store up to x10 Euro Pallets or x9 metric pallets per layer.*
- Free no obligation site survey carried out by our in-house team
- Low noise and low energy consumption (in comparison to our competitors)

*The number of pallets that can be stored in a container is dependant upon their configuration and items loaded on the pallets.

DISCLAIMER: Every effort is made to ensure this information is accurate, however Spacewise does not assume any liability for the accuracy of the information and content provided in marketing, information materials, websites, or for the consequences resulting from using the information and content provided. Spacewise does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the UK and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton[®] and TAL[®].